

EstuaryWatch Administration Guide



User guide for the EstuaryWatch Administration Area

Prepared September 2017
EstuaryWatch and CeRDI

Table of Contents

Accessing the administration area through the login page	2
Changing passwords / updating your details	2
Understanding the administration page	3
Home	3
Estuaries.....	4
Sites.....	4
Observations	5
Photos	5
Events	6
Understanding the search functions.....	7
Estuaries search	7
Site search.....	7
Observations search.....	7
Events search	8
Other search functions.....	8
Entering observations.....	9
Summary data	11
Physical and Chemical data entry	13
Calibration.....	13
Depth Profiling – entering your Phys-chem data	16
Top Bottom Sampling	18
Photos and Files	19
Data entry review	22
What to do if you get errors	23
Important note about generating salt wedge images.....	23
Estuary mouth condition data entry.....	24
Mouth Observation.....	24
Water Levels and Tides	24
Physical Condition.....	25
Photos and Files	25
Data entry review	29
Entering events.....	30
Coordinator / administrator functions	31
Managing Users	31
Managing monitor groups	31
Managing equipment.....	31
Managing estuaries.....	31
Managing sites	31
Approving observations	32

Accessing the administration area through the login page


Access the site at:

<http://www.estuarywatch.org.au>



You can also find the login under the Monitoring menu where you have the option to Submit your data.

Enter your **Username** and **Password** to the entry Administration page.




As part of the 2016 EstuaryWatch redevelopment, all existing passwords have been reset.

*If you have not received an email with updated login details or have forgotten your password, use the "**forgot username/ password**" options or contact your EstuaryWatch Coordinator.*

Changing passwords / updating your details

Once you have logged into the portal, click the **'Profile'** tab.



If you would like to change your password enter your **Old Password** and **New Password** under the Update **Password** heading and click **Update Password** button.

Update Password

If your details are not up to date, type in new information under the **Update User Details** heading,

Click **Update details** button at the bottom of your screen when finished to save the changes:


Update Details

*Note those with a * are the mandatory fields.*

Understanding the administration page

As an EstuaryWatch volunteer, when you login you will see a **Home** page with several menu tabs along the top:

- Home
- Estuaries
- Sites
- Observations
- Photos
- Events
- Profile
- Help
- Logout



#	Status	Site	Date	Options
10434	Pending	Footbridge adjacent to Coogarah Park	13 Sep 2016	View Edit
10439	Approved	Tait Point	4 Aug 2016	View Edit
9752	Approved	Culvert on Coalmine Road	22 Apr 2015	View Edit
10695	Approved	Footbridge near Bingley Parade	22 Apr 2015	View Edit
9751	Approved	Footbridge adjacent to Coogarah Park	22 Apr 2015	View Edit
9749	Approved	Fishing platform upstream of Great Ocean Rd Bridge	22 Apr 2015	View Edit
9753	Approved	Anglesea River Estuary Mouth Observation Site	22 Apr 2015	View Edit
9748	Approved	Jetty opposite Angahook Corner Store	22 Apr 2015	View Edit
9244	Approved	Culvert on Coalmine Road	19 Nov 2014	View Edit
9242	Approved	Footbridge near	19 Nov 2014	View Edit

If you are a coordinator, you will see an additional tab **Config**. This is where you can manage users, monitoring groups and equipment.

Home

The **Home** page lists your assigned monitoring sites under **My observation sites** on the left hand side of the page. On the right hand side of the page, **My recent observations** provide a summary of all the data entered for the estuary or estuaries that you monitor.


Pending Observations lists new observations awaiting verification and approval.

Super-users will also see a drop down menu at the left of the main menu. This allows you to rapidly filter users, observations and pending observations by Catchment Management Authority (CMA) regions.

Estuaries

Under the **Estuaries** tab, you will find a list of all estuaries in your region.

You can view an overview of the estuary including the site list, linked documents and an interactive location map by clicking on the estuary name.



You can also navigate straight to sites in that estuary, this will open with a similar display to the estuary overview. You can also open the **Estuary sites** page by clicking on **Sites**, which will provide you with details of all estuary sites and an **Activity** summary for each. You can also enter new observations here.

Use the *Sort* function to sort estuaries, sites and monitoring groups in alphabetical order.



Anglesea River Estuary


The Anglesea River Estuary is approximately 2.618km in length with a catchment area of 885.1 Ha. There are extensive boardwalks, bridges and trails around the estuary which provide many opportunities to get up close to the estuary.

You can export all your site data to Microsoft Excel using the **'Export to Excel'** button.



Sites

Under the **Sites** tab, you can search and view all estuary sites. You can also add new observations from here using the **New observation** button.



See the section *Entering Observations* for more information on adding a new observation.

As with your Estuaries list, you can export site data as a .csv file. Scroll to the bottom of your site list and click on the **Export to Excel** button.

If you only wish to export data from a subset of sites, use the search and filtering options at the top of the page to refine your site list first.

Observations

This page provides details of individual observation made at your estuary sites.

Site observations

[Add new observation](#)

Site type Estuary Site
 Start date End date Status [Go >](#)

4,801 results found (Displaying 1 - 25)

« 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 » »


#	Date	Details	Options
10864	2 Mar 2017 Pending	CCMA Tait Point Physico-Chemical Ros Gibson Jenny Calwell	View Review Delete

Notes:
 Low tide time: 9:33am
 Surface of Lake Connewarre covered with algae - pale greenish yellow with lots of trapped bubbles (see photographs)

Here you can add, search and view your observations. Observations **Pending** approval by your coordinator will be identified.

Photos

Under the **Photos** tab, you can upload images that will be added as temporary user photos. When working in the field, you might access this page to upload photo point photos or event photos to be entered with a data sheet at a later date. See page *Photos and Files* for step by step instructions for uploading photos.



You can **Delete** images when you no longer need photos on the temporary user photo file by clicking the delete button next to the image.

Events

This provides an overview of all estuary events.

You can add, search and view all estuary events here.

Estuary events

[Add new event](#)

64 results found (Displaying 1 - 25)

< 1 2 3 >

Date	Estuary	Type	Details	Options
13-08-2017	Painkalac Creek Estuary	Unusual/Extraordinary occurrence!	Coastal Court monitoring platform found to be underwater. Monitoring not conducted. Water noted to be flowing, gently downstream (outward flow).	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
 				


Understanding the search functions

The administration interface has a number of ways to search for sites. Each follows the same general principles for searching, and replicates functionality elsewhere in the EstuaryWatch site.

Estuaries search

This search function allows you to search for estuaries and sites within estuaries. All users can filter estuaries by monitoring group and status (active, inactive, retired).

Manage estuaries




A search form with a text input labeled 'Search', a dropdown menu labeled 'Monitor group', another dropdown menu labeled 'Status', and a 'Go >' button with a small downward arrow.

Site search

Here you search for sites in your region and apply an estuary, site type or status filter.

Estuary sites



A search form with a text input labeled 'Search', a dropdown menu labeled 'Estuary', another dropdown menu labeled 'Site type', a dropdown menu labeled 'Status', and a 'Go >' button with a small downward arrow.

Observations search

This function allows you to search for individual observations and apply search filters e.g. filter by site type, estuary, site name, date and status (Active, Inactive or retired). An **Active** site is one that has been active in the last 12 months. An **Inactive** is a site that hasn't be monitored in the last 12 months. A **Retired** site is one that is no longer monitored. A site is often retired if it is deemed unsafe to monitor.

Site observations

[Add new observation](#)



A search form with three columns. The first column has a dropdown menu labeled 'Site type' and a text input labeled 'Start date' with a calendar icon. The second column has a dropdown menu labeled 'Estuary' and a text input labeled 'End date' with a calendar icon. The third column has a dropdown menu labeled 'Site' and a dropdown menu labeled 'Status'. A 'Go >' button with a small downward arrow is on the right.

You can also enter new observations using the 'Add new observation' button

[Add new observation](#)

Events search

You can add, search for and edit estuary events here. You can filter results by estuary, event type, date and site status.

Estuary events

[Add new event](#)

Type your keyword or site name into the **Search** box, e.g. typing the word *closure* will return a list of all estuary entrance closures, which you can further filter by estuary or date.

Estuary events

[Add new event](#)

4 results found (Displaying 1 - 4)

Date	Estuary	Type	Details	Options
03-02-2017	Barham River Estuary	Estuary Entrance Opening	<p>01-02-2017 10:00 is the first observed river mouth closure since May 2016. Since that time there has been good rainfall but no flood events were the Barham River has broken its banks. Good river flows have kept the river mouth open.</p> <p>01-02-2017 at 11.15 the estuary height is 1.12m, the river mouth is closed and sea conditions are slight.</p> <p>02-02-2017 at 13.20 the estuary height is 1.20m, the river mouth is closed, sea conditions are slight and the berm clearance is 0.15m. This day at 12.45 the Paradise River Gauge is at 0.18m. On the 17-01-2017 it was at 0.20m.</p> <p>03-02-2017 at 10.15 the river mouth is open, sea conditions are smooth and the estuary height is 1.24m. The main contributing factor causing the river mouth closure was clearly the high predicted tides following the New Moon.</p>	<input type="button" value="Edit"/> <input type="button" value="Delete"/>

Other search functions

Coordinators will have access to additional search functions on the Home tab (Region search) and on the **Config** tab.

Use the dropdown menu to select which search function and lists you wish to view.

If you select **Users** type a user's first name or surname in the search box to find them in the list.

The **Users** search function is much the same as the other searches, with the additional options to filter user searches by monitor group, CMA, user level of access and user activity status.

Manage users

[Add new user](#)


If you select **Meters** you can type in a keyword to search for different multi-parameter meter types.

Manage meters

Entering observations


There are several ways you can enter new observations data.

Click the **Observations** tab.



Click on the **Add new observation** button.

Or, on the Home page, scroll down through your list of observation sites until you find the site you wish to enter data for.



Click on the **New observation** button.

You can also enter new observations by going to the **Sites** tab, searching for your site and clicking on the **New observation** button under the column heading **Options**.

Any of these options will open a new screen called **Site observation**.

New observation

If you accessed the form using **Add new observations** from the **Observations** tab, the form will open with only the summary data viewable:

Site observations CCMA

[Back to list of sites](#)

[Add new observation](#)

Summary data

Site:

Date:

Time:

Samplers:

Approval status: Pending

When you choose the site name, the rest of the form will automatically expand. If you accessed the form from the **Home** page, it will automatically expand with the site name pre-populated.

Site observations CCMA

[Back to list of sites](#)

[Add new Physico-Chemical observation](#)

Summary data

Site:

Date:

Time:

Samplers:

Approval status: Pending

Calibration

Use previous calibration? Check if meter has already been used for previous observations on this date

Multi-parameter meter used:

pH meter used:

	Dissolved Oxygen %	EC mS/cm	pH
Calibration check performed	<input type="checkbox"/>	<input type="checkbox"/>	
Calibration performed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Last D.O. Membrane Replacement:


Depth Profiling

Max depth:

Depth m	Temperature °C	Salinity ppt	D.O. mg/L	D.O. % sat	EC mS/cm	Notes	Options


Summary data

In the **Summary data** section, click on the calendar icon next to the **Date** field and select the date that the data were collected.



The screenshot shows the 'Site observations' form with the 'Date' field set to 20-09-2016. A calendar dropdown menu is open, showing the month of September 2016. The date 20 is highlighted in blue. The form includes fields for Site, Time, Approval status, Calibration, Multi-parameter meter, pH meter used, and checkboxes for Calibration check performed and Calibration performed. There are also dropdown menus for Samplers, Multi-parameter meter, and pH meter used.

Click on the calendar icon next to the **Time** field and select the time that the data was collected. To enter the time, you can either use the up and down arrows or click on the **00**. You can also manually type the time into the field.



The screenshot shows the 'Site observations' form with the 'Time' field set to 00:00. A time selection dropdown menu is open, showing the time 00:00. The form includes fields for Site, Date, Time, Approval status, Calibration, Multi-parameter meter, pH meter used, and checkboxes for Calibration check performed and Calibration performed. There are also dropdown menus for Samplers, Multi-parameter meter, and pH meter used.


Click inside the **Samplers** field. You can either scroll down and click on the volunteer who was present or you can begin to type their name until it appears as an option on the scroll down menu. Repeat this process for each volunteer who was present at the monitoring session.

To assist in finding the relevant sampler, the list is ordered in the following groups

- Samplers in your monitoring group
- Active volunteers (All groups)
- Active coordinators
- Inactive volunteers
- Inactive coordinators

The list can be filtered by typing a partial first or last name

- Eg: Type: "Jo" in the search box will list users like "John" or "Jones"



Site observations CCMA

[back to list of sites](#)

Add new Physico-Chemical observation Continue

Summary data

Site: A4. Footbridge adjacent to Coogarah Park [Physico-Chemical]

Date: 13-05-2016

Time: 10:50

Approval status: Pending

Calibration

Multi-parameter meter used: Select a multi-parameter meter

Use previous calibration? Check if meter has already been used for previous observations on this date

pH meter used: Select a pH meter

	Dissolved Oxygen %	EC mg/lom	pH
Calibration check performed	<input type="checkbox"/>	<input type="checkbox"/>	
Calibration performed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Last G.G. Membrane Replacements


Samplers dropdown menu:

- Select one or more samplers
- Anglesea River EstuaryWatchers a
- Rachael Beecham [2020-05-20]
- Ellen Dossy [2014-05-17]
- Gabriel Fuller [2014-05-17]
- Joyce Kerry [2015-03-24]
- Dick O'Hanlon [2015-05-14]

Physical and Chemical data entry

Calibration

If you have already entered data for this date on this estuary you can tick the box next to, **Use previous calibration?** and proceed the **Depth Profiling** section.



Site observations CCMA

[Back to list of sites](#)

Add new Physico-Chemical observation Continue

Summary data

Site: A4 Footbridge adjacent to Coogarah Park (Physico-Chemical)

Date: 13-09-2016

Time: 10:50

Samplers: Rose Herbert (NA)

Approval status: Pending

Calibration

Multi-parameter meter used: YSI 10


Use previous calibration? Check if meter has already been used for previous observations on this date

pH meter used: Select a pH meter

	Disolved Oxygen %	EC resist/cm	pH
Calibration check performed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Calibration performed	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Last p.O. Membrane Replacement: 20-09-2016 00:00

If this is the first data sheet entered for the monitoring session, select the **Multi-parameter meter used** from the scroll down menu.



Site observations CCMA

[Back to list of sites](#)

Add new Physico-Chemical observation Continue

Summary data

Site: A4 Footbridge adjacent to Coogarah Park (Physico-Chemical)

Date: 13-09-2016

Time: 10:50

Samplers: Rose Herbert (NA)

Approval status: Pending

Calibration

Multi-parameter meter used: YSI 10

Use previous calibration? Check if meter has already been used for previous observations on this date

pH meter used: Select a pH meter

	Disolved Oxygen %	EC resist/cm	pH
Calibration check performed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Calibration performed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Last p.O. Membrane Replacement: 20-09-2016 00:00

Depth Profiling

Max depth:

Select the **pH meter used** from the scroll down menu.

Site observations CCMA

[Back to list of sites](#)

Add new Physico-Chemical observation Continue

Summary data

Site: A1: Footbridge adjacent to Coogarah Park (Physico-Chemical)

Date: 13-09-2016

Time: 10:50

Approval status: Pending

Samplers: Rose Herben (NA)

Calibration

Multi-parameter meter used: YSI 10

Use previous calibration? Check if meter has already been used for previous observations on this date

pH meter used:

- ecobondr ph2
- Eutech PCS Testr35
- Eutech PCS Testr10
- LAQUA twin pH meters

Calibration check performed:

Calibration performed:

Last D.O. Membrane Replacement:

Depth Profiling

Max depth:

Depth m	Temperature °C	Salinity ppt	D.O. mg/L	D.O. % sat	EC µS/cm	Notes	Options
0.10	<input type="text"/>	<input type="button" value="+"/> <input type="button" value="-"/>					

Tick the boxes beneath the parameters if **Calibration check performed**. Tick the boxes beneath the parameters if **Calibration performed**.

Site observations CCMA

[Back to list of sites](#)

Add new Physico-Chemical observation Continue

Summary data

Site: A4 Footbridge adjacent to Coogarah Park [Physico-Chemical]

Date: 13-09-2016 Samplers: Rose Herben [NA]

Time: 10:50

Approval status: Pending

Calibration

Multi-parameter meter used: YSI 10

Use previous calibration? Check if meter has already been used for previous observations on this date

pH meter used: Eutech PCS Testr30

	Disolved Oxygen %	EC mS/cm	pH
Calibration check performed	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Calibration performed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Last D.O. Membrane Replacement:

Depth Profiling

Max depth:

Depth m	Temperature °C	Salinity ppt	D.O. mg/L	D.O. % sat	EC mS/cm	Notes	Options
0.10	<input type="text"/>	<input type="button" value="+"/> <input type="button" value="-"/>					

Click the calendar icon next to the **Last D.O Membrane Replacement** field and select the date and time the D.O membrane was last replaced.

Site observations CCMA

[Back to list of sites](#)

Add new Physico-Chemical observation Continue

Summary data

Site: A4 Footbridge adjacent to Coogarah Park [Physico-Chemical]

Date: 13-09-2016 Samplers: Rose Herben [NA]

Time: 10:50

Approval status: Pending

Calibration

Multi-parameter meter used: YSI 10

Use previous calibration? Check if meter has already been used for previous observations on this date

pH meter used: Eutech PCS Testr30

Calibration check performed:

Calibration performed:

Last D.O. Membrane Replacement: 21-09-2016 00:00

Depth Profiling

Max depth:

Depth m	Temperature °C	Salinity ppt	D.O. mg/L	D.O. % sat	EC mS/cm	Notes	Options
0.10	<input type="text"/>	<input type="button" value="+"/> <input type="button" value="-"/>					

Depth Profiling – entering your Phys-chem data

Type the maximum depth into the **Max depth** field. This is recorded in metres.

Calibration

Multi-parameter meter used: YSI 10

Use previous calibration? Check if meter has already been used for previous observations on this date

pH meter used: Eutech PCB Testr35

Calibration check performed: Dissolved Oxygen %: EC mS/cm: pH:

Calibration performed: Dissolved Oxygen %: EC mS/cm: pH:

Last D.O. Membrane Replacement: 11-12-2015 12:00

Depth Profiling

Max depth: 1.4

Depth m	Temperature °C	Salinity ppt	D.O. mg/L	D.O. % sat	EC mS/cm	Notes	Options
0.10							+ -
							+ -
							+ -
							+ -
							+ -

Top-Bottom Sampling

Depth m: Top: 0.10, Bottom:

Turbidity NTU:

pH:

Flow estimate: Select a flow estimate-->

Notes

Complete the **Depth Profiling** table. Use the plus (+) or minus (-) buttons to add or remove rows.

pH meter used: Eutech PCB Testr35

Calibration check performed: Dissolved Oxygen %: EC mS/cm: pH:

Calibration performed: Dissolved Oxygen %: EC mS/cm: pH:

Last D.O. Membrane Replacement: 11-12-2015 12:00

Depth Profiling

Max depth: 1.40

Depth m	Temperature °C	Salinity ppt	D.O. mg/L	D.O. % sat	EC mS/cm	Notes	Options
0.10	13.2	5.1	9.26	91.00	8.95		+ -
0.50	13.4	5.7	9.00	90.00	9.95		+ -
1.00	13.7	6.0	8.79	88.00	10.62		+ -
1.30	13.9	6.1	8.78	88.20	10.72		+ -

Top-Bottom Sampling

Depth m: Top: 0.10, Bottom:

Turbidity NTU:

pH:

Flow estimate: Select a flow estimate-->

Notes

The data entry system has a built-in feature that highlights cells when the data you entered is unusual or out of range. This is intended to alert you to check if you have made a data entry mistake.

Depth Profiling

Max depth

Depth m	Temperature °C	Salinity ppt	D.O. mg/L	D.O. % sat	EC mS/cm	Notes	Options
<input type="text" value="0.10"/>	<input type="text" value="20.0"/>	<input type="text" value="100.0"/>	<input type="text" value="5.00"/>	<input type="text"/>	<input type="text" value="6000.000"/>	<input type="text"/>	<input type="button" value="+"/> <input type="button" value="-"/>
<input type="text" value="0.50"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="button" value="+"/> <input type="button" value="-"/>
<input type="text" value="1.00"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="button" value="+"/> <input type="button" value="-"/>
<input type="text" value="1.50"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="button" value="+"/> <input type="button" value="-"/>
<input type="text" value="2.00"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="button" value="+"/> <input type="button" value="-"/>

Tips:

*If your values are out of the expected range, they will show up a **yellow** or **red** highlight around the Result box. There will also be an error message on the screen.*

*Check your result and change it if needed. If a yellow result is correct, include a comment in the **notes** field as to what might have caused it.*

*You can submit data with a **yellow** warning. A **red** warning is outside the allowed range and will not let you submit data. Please notify your EstuaryWatch Coordinator if you have a value outside the allowed range.*

Top Bottom Sampling

Type the Top and Bottom Turbidity and Top and Bottom pH into the **Top-Bottom Sampling** table.

pH meter used: Eutech PCS Test26

Dissolved Oxygen %: EC mS/cm: pH:

Calibration check performed: Calibration performed:

Last D.O. Membrane Replacement: 11-12-2015 12:00

Depth Profiling
Max depth: 1.40

Depth m	Temperature °C	Salinity ppt	D.O. mg/L	D.O. % sat	EC mS/cm	Notes	Options
0.10	13.2	5.1	9.26	91.00	8.95		+ -
0.50	13.4	5.7	9.00	90.00	9.95		+ -
1.00	13.7	6.0	8.79	83.00	10.62		+ -
1.30	13.9	6.1	8.78	39.20	10.72		+ -

Top-Bottom Sampling

Depth m	Turbidity NTU	pH
Top: 0.10	10.0	6.0
Bottom: 1.30	9.0	5.6

Flow estimate: Select a flow estimate-->

Notes:

Select the **Flow estimate** from the scroll down menu.

Depth m: 0.10, 0.50, 1.00, 1.30

Temperature °C: 13.2, 13.4, 13.7, 13.9

Salinity ppt: 5.1, 5.7, 6.0, 6.1

D.O. mg/L: 9.26, 9.00, 8.79, 8.78

D.O. % sat: 91.00, 90.00, 83.00, 39.20

EC mS/cm: 8.95, 9.95, 10.62, 10.72

Notes:

Top-Bottom Sampling

Depth m	Turbidity NTU	pH
Top: 0.10	10.0	6.0
Bottom: 1.30	9.0	5.6

Flow estimate:

- Select a flow estimate-->
- Dry
- Pool**
- Slow
- Medium
- Fast

Photos and Videos: Compress Images?


Top-Bottom Sampling

Depth m	Turbidity NTU	pH
Top: 0.10	10.0	6.0
Bottom: 1.30	9.0	5.6

Flow estimate:

Notes:

Type any observations you recorded in the **Notes** field.



Click in the box below the Notes field that says **Tags**. Select any topics covered in your notes from the scroll down menu. Click the box again if you want to add another **Tag**.

Photos and Files

Photos and Files is where you upload photos and copies of your datasheets.

Tip 1:

Submitting electronic copies of your datasheets will speed up the approval process, and save you the cost of postage!

Tip 2:

Upload temporary user photos to EstuaryWatch using your phone or tablet before you start entering an observation to avoid the hassle of transferring files between devices.

CAUTION:

Photos that contain identifiable persons require consent. Talk to your coordinator about the photo permission procedure in your region.


Extra caution is required if photos involve school groups or minors.

You can either scan your sheets or photograph them on your phone.

To upload a file from your computer; either


1. Drag the files into the uploader box; OR
2. Click the **Add files** button to browse and select the file(s)

Click **Start upload** once all files are selected.



Using a photo from your phone or tablet
iPad/iPhone


- Click the **Add files** button to view the upload options
- Select **Take photo** to take a new picture; OR
- Select **Photo library** to use an existing picture



Android devices

- Click the **Add files** button to view the upload options
- Select **Camera** to take a new picture; OR
- Select **Documents** to select an existing picture


Then click **Start upload** button when all files are added.



NOTE: The **Compress images?** option is selected by default.


This automatically reduces the file size of the photos without any significant loss of quality.

Uncheck the option to upload photos at the original resolution (Recommended for fast internet connections only)




You can also access photos taken previously on a different device from the **Browse temporary photos** link. See page [Photos and Files](#) for more information.

Once all files are uploaded they will appear at the bottom of the page. Select the file type from the **Type** scroll down menu. If the file is a photo from a photopoint site select the site name from the **Photopoint site** scroll down menu.




To **Delete file**, under **Options** click the button that has three dots inside and select **Delete file**.



Once you have finished click on the **Continue** button.

Data entry review

A **Data entry review** page will appear. This is your opportunity to review your entry before it is submitted.



Back to list of observations

Observation 10436 added successfully

Coordinator has been notified via email to approve

No datasheet has been uploaded for this observation, please scan or photograph datasheet

Observation preview 10436 Edit Approve

Data entry review
Carefully review your measurements below for any data entry errors. Observations from the past year are compared for reference. Highlighted values may not necessarily be incorrect, they may just be unusual for that site.

- Previous:** Last recorded reading (Not necessarily from last observation date)
- Median:** Median of all values recorded in preceding observations

Normality legend
Common Less Common Uncommon Very Uncommon Extraordinary

Overview

Observation ID	10436
Estuary	Anglesea River Estuary111
Site	A1: Jetty opposite Angahook Corn Store
Site Observations	89
Date and Time	Friday 31st March 2017 1:00am

Warnings and messages will appear at the top of the screen.

You can return to the data entry form to upload a datasheet or edit your data by clicking the **Edit** button.

The **Data entry review** box provides definitions for the normality legend used to highlight when samples are unusual.

The **Overview** gives you a summary about the new site observation you entered.

Note: check that the dates match what you entered.

All the data entered is compared to the median for the previous years' worth of monitoring.

Double-check those highlighted as **Uncommon, Very Uncommon and Extraordinary**.

A summary is provided below your data to check the data range in the database.

If you find errors, click the **Edit** button. If you are happy with your data entry, click **Confirm**.

Normality legend

Common Less Common Uncommon Very Uncommon Extraordinary



Max depth	0.25	Previous	1.00	Median	1.00	
Depth Profiling						
Depth m	Temperature °C	Salinity ppt	D.O., mg/L	D.O., % sat	EC mS/cm	Notes
0.1m	22.0	0.00	8.00		500.00	
Previous	14.0	20.0	100.5	100.5	15.2	454.77
Median	15.4	7.10	8.61	91.50	12.3	487.73

Confirm

The coordinator will be notified that your data has been submitted.

You will be returned to your **Home** page where you should now be able to see your new observation listed and pending approval. Your data will still appear on the EstuaryWatch public site even though it isn't approved yet.

Note: The default ordering for observations is descending date order.

What to do if you get errors

If you have entered values that are unusual or out of range you will get an error or warning message.

Warnings for values of outside the normal range require you to double-check before you click Continue. Errors warnings will appear if you have entered values outside the absolute minimum or maximum for that test types.

You will need to review these and provide a reason before proceeding. Warnings will also appear if you have not filled in compulsory fields.

If you come across a technical issue, please supply as much detail as possible to your Regional EstuaryWatch Coordinator so they can replicate the problem

Example:

Section: EstuaryWatch Gallery

Problem: Options to sort and resize thumbnails don't do anything when clicked

Link: http://www.estuarywatch.org.au/estuary_gallery.php

Browser and Device: Firefox 47.0 on Windows 7 64 Bit


Screen Resolution: 1920 x 1080

Desktop or Tablet: Desktop

If you are not sure of your exact device or screen resolution go to <http://supportdetails.com> and copy or email the details.

Important note about generating salt wedge images

When all sites are visited, the data portal can automatically generate the salt wedge profile graph It is important to enter data for all sites or else no graph will be generated.




Estuary mouth condition data entry

Mouth Observation

Use the scroll down menus to select the Mouth State, Flow Present? and Flow Direction.

If the estuary was closed, record the Berm Length (m), and Berm Heights (m)




The screenshot shows the data entry interface. On the left, the 'Mouth Observation' section includes dropdown menus for 'Mouth state' (Open), 'Flow Present?' (Yes), and 'Flow Direction' (Out). Below these are input fields for 'Berm Length (m)' and a 'Berm Diagram' showing a cross-section of a berm between 'Above Sea' and 'Above Estuary'. Further down are 'Berm Height' input fields and a 'Physical Condition' section with dropdowns for 'Wind Direction', 'Beaufort Scale', and 'Sea State'. On the right, the 'Water Levels and Tides' section has input fields for 'Water Level Start' (1.080), 'Water Level Finish' (1.080), 'Height (m)', and 'Time (hh:mm)' (14:25 to 15:00). It also includes a 'Tidal influence' dropdown (No) and a 'Tidal Range' table with 'High' (17:11, 1.680) and 'Low' (10:16, 0.490) entries. A 'Notes' section at the bottom right contains a text area with sample notes.

Water Levels and Tides

Type in the **Start Water Level and Finish Water Level** and the **Height of High and Low** tide.


Click on the calendar icon next to the **Time** fields and select the time that the data was collected. To enter the time, you can either use the up and down arrows or click on the **00**. You can also manually type the time into the field.



This is an identical screenshot of the data entry form described above, showing the 'Mouth Observation' and 'Water Levels and Tides' sections.

Physical Condition

Use the scroll down menus to select the **Wind Direction**, **Beaufort Scale** and **Sea State**.



Type any observations you recorded in the **Notes** field.



Click in the box below the Notes field that says **Tags**. Select any topics covered in your notes from the scroll down menu. Click the box again if you want to add another **Tag**.

Photos and Files

Photos and Files is where you upload photos and copies of your datasheets.

Tip 1:

Submitting electronic copies of your datasheets will speed up the approval process, and save you the cost of postage!

Tip 2:

Upload temporary user photos to EstuaryWatch using your phone or tablet before you start entering an observation to avoid the hassle of transferring files between devices.

CAUTION:

Photos that contain identifiable persons require consent. Talk to your coordinator about the photo permission procedure in your region.

Extra caution is required if photos involve school groups or minors.

You can either scan your sheets or photograph them on your phone.

To upload a file from your computer; either



3. Drag the files into the uploader box; OR
4. Click the **Add files** button to browse and select the file(s)

Click **Start upload** once all files are selected.

Using a photo from your phone or tablet


iPad/iPhone

- Click the **Add files** button to view the upload options
- Select **Take photo** to take a new picture; OR
- Select **Photo library** to use an existing picture



Android devices

- Click the **Add files** button to view the upload options
- Select **Camera** to take a new picture; OR
- Select **Documents** to select an existing picture




Then click **Start upload** button when all files are added.

NOTE: The **Compress images?** option is selected by default.


This automatically reduces the file size of the photos without any significant loss of quality.

Uncheck the option to upload photos at the original resolution (Recommended for fast internet connections only)



You can also access photos taken previously on a different device from the **Browse temporary photos** link. See page *Photos and Files* for more information.

Once all files are uploaded they will appear at the bottom of the page. Select the file type from the **Type** scroll down menu. If the file is a photo from a photopoint site select the site name from the **Photopoint site** scroll down menu.



Once all files are uploaded they will appear at the bottom of the page. Select the file type from the **Type** scroll down menu. If the file is a photo from a photopoint site select the site name from the **Photopoint site** scroll down menu.


- Drag files into the box below or click "Add files" to select files from your computer
- To upload a photo taken from your device:
 - **iPad/iOS:** Click "Add files", then select "Take photo", take a photo, then click "Use photo"
 - **Android:** Click "Add files", then select "Camera", take a photo, then click "OK"
- Click "Start upload" to upload the files to the server
- Click "Restart upload" to upload different files once complete

Filename


Drag files here.

Add Files
Start Upload

[Browse temporary photos](#)

#	Link	Details
1		<p>Date: 01-07-2017 14:25</p> <p>Type: Data sheet</p> <p>Photopoint site: BmP2-1</p>
2		<p>Date: 01-07-2017 14:25</p> <p>Type: Photographs</p> <p>Photopoint site:</p>

To **delete** a file, under **Options** click the button that has three dots inside and select **Delete file**.




Once you have finished click on the **Continue** button.



Data entry review

A **Data entry review** page will appear. This is your opportunity to review your entry before it is submitted.



Warnings and messages will appear at the top of the screen.

You can return to the data entry form to upload a datasheet or edit your data by clicking the **Edit** button.

The **Data entry review** box provides definitions for the normality legend used to highlight when samples are unusual.



The **Overview** gives you a summary about the new site observation you entered.

Note: check that the dates match what you entered.

If you find errors, click the **Edit** button. If you are happy with your data entry, click **Confirm**.



The coordinator will be notified that your data has been submitted.


You will be returned to your **Home** page where you should now be able to see your new observation listed and pending approval. Your data will still appear on the EstuaryWatch public site even though it isn't approved yet.

Note: The default ordering for observations is descending date order.

Entering events


Click the **Events** tab.

Click on the **Add new Event** button.




Select the **Estuary** from the scroll down menu.

Select the **Event type** from the scroll down menu.



Click on the calendar icon next to the **Date and Time** field and select the date and time the event took place. In the **Description** text box, write the details of the event.

Refer to the [Photos and Files](#) Section for instructions.



Coordinator / administrator functions

Managing Users

The **Config>Users** tab allows coordinators to search for, add, edit and delete users.

You can export your user list to Microsoft Excel using the **'Export to Excel'** button:

Manage users

Add new user

 Export to Excel

Managing monitor groups

The **Config>Monitor Groups** tab allows coordinators to explore your list of monitoring groups and to add, edit and delete groups.

Manage monitor groups

Add new monitor group

Managing equipment

The **Config>Meters** tab allows coordinators add, edit and delete new field test equipment.

Manage meters

Add new meter

Managing estuaries

The **Estuaries** tab has the option to **Add new estuary**.

Manage estuaries

Add new estuary

Managing sites

The **sites** tab has the option to **Add new site** to an estuary. This could be a **Guage board, Mouth Condition, Photopoint or Physico-chemical site**.


Estuary sites

Add new site

Approving observations


There are several ways can navigate to observations that are pending approval.

Click the **Observations** tab.





Filter observations by selecting **Pending** from the **Status** scroll down menu then click **Go**. A list of all pending observations will appear.


Or, on the Home page, a list of all pending observations appears down the left hand side.



To approve a data entry, click on the **Review** button listed next to the observation.



If you don't have the hard copy data sheet in front of you, click on the **Open data sheet scan** link to view the electronic copy of the data sheet.



Observation preview 11465

[Back to list of observations](#)

[Edit](#) [Approve](#)

Data entry review
Carefully review your measurements below for any data entry errors. Observations from the past year are compared for reference. Highlighted values may not necessarily be incorrect, they may just be unusual for that site.

- **Previous:** Last recorded reading (Not necessarily from last observation date)
- **Median:** Median of all values recorded in preceding observations

Normality legend

[Common](#) [Less Common](#) [Uncommon](#) [Very Uncommon](#) [Extraordinary](#)

[Open data sheet scan](#)


Overview

Observation ID	11465
Estuary	Gellibrand River Estuary
Site	G3_L1: Bridge at Latrobe Creek Mouth as it enters the Gellibrand
Site Observations	112
Date and Time	Friday 22nd September 2017 12:37pm
Creator	Judy Spafford
Sampler	Gene Gardiner, Judy Spafford
Approved	Pending
Preceding observations	128 observations recorded prior to this observation

Notes

AHD 0.8 @ 12:18
Flow both U/S & D/S throughout monitoring

Cross check the review page with the content of the original data sheet to make sure they match. If you are happy that the entry is correct click the **Approve** button. If you need to make changes hit the **Edit** button.



Observation preview 11465

[Back to list of observations](#)

[Edit](#) [Approve](#)

Data entry review
Carefully review your measurements below for any data entry errors. Observations from the past year are compared for reference. Highlighted values may not necessarily be incorrect, they may just be unusual for that site.

- **Previous:** Last recorded reading (Not necessarily from last observation date)
- **Median:** Median of all values recorded in preceding observations

Normality legend

[Common](#) [Less Common](#) [Uncommon](#) [Very Uncommon](#) [Extraordinary](#)

[Open data sheet scan](#)

Overview

Observation ID	11465
Estuary	Gellibrand River Estuary
Site	G3_L1: Bridge at Latrobe Creek Mouth as it enters the Gellibrand
Site Observations	112
Date and Time	Friday 22nd September 2017 12:37pm
Creator	Judy Spafford
Sampler	Gene Gardiner, Judy Spafford
Approved	Pending
Preceding observations	128 observations recorded prior to this observation

Notes

AHD 0.8 @ 12:18
Flow both U/S & D/S throughout monitoring

Tips:

Here are some things to look out for when reviewing observations.

- Make sure the **Date** and **Time** match what is recorded on the data sheet.
- Refer to the **Notes** for anything that might need following up from a coordinator. (OH&S and Equipment)
- Make sure the **Equipment Calibration** details are complete. This is often not entered by EstuaryWatchers. You may need to remind them. The meter number and last membrane replacement date should be on the key tag attached to the YSI meter.
- Make sure all the **Sampler** names listed on the data sheet are listed
- If approving an estuary mouth condition sheet make sure all the photos are labelled the correct **Photopoint Site** and appear in order from left **to right**.
- Make sure scanned copies or photos of data sheets have **Datasheet** selected for the **Type** field.
- When looking at the **Depth Profiling** and **Top-Bottom** table here are a few rules to remember

-**Salinity (ppt)** cannot be higher than **EC (mS/cm)**

-**Dissolved Oxygen (mg/L)** cannot be higher than **Dissolved Oxygen (% saturation)**

-35ppt is the salinity of the sea.

-54 mS/cm is the EC of the sea.

-If the group is using a turbidity tube, the turbidity cannot be lower than 9.

-pH cannot be higher than 14.

-the depth of the bottom measurement on the depth profile table cannot be higher than the **Max Depth**.

-Refer to the **Physical/chemical monitoring** and **Mouth Condition monitoring** chapters of the manual to find out what values to expect for each parameter.