

EstuaryWatch Physico-chemical Data Sheet - YSI

Sampled by: Pam Carol

Site assessed for hazards



Estuary: Wells Site: 1-14 Max Depth (m): 2.50 Date: 22/7/27 Time: 11:45

Last membrane replacement:
 Meter: _____ Date: _____ Time: _____
Calibrations required: (i.e. for DO or EC) Yes / No
 • If you selected yes in the above section please indicate
 Which calibrations you performed (please circle): DO / EC / pH
Calibrations recorded on calibration record sheet: Yes / No / N/A

Data entered: Yes / No
 Data sheet uploaded: Yes / No
 Data entered by: _____
 Observation ID on database: _____
 Approved by coordinator: Yes / No

Depth Profiling

Depth (m)	Temp (°C)	Salinity (ppt)	D.O. (mg/l)	D.O. (% sat)	EC (mS/cm)	Notes
0.10	10.5		10.5			
0.50	10.5		10.5			
1.00	10.5		10.5			
1.50	10.5		10.5			
2.00	10.5		10.5			
2.50	10.5		10.5			
3.00						
3.50						
4.00						
4.50						
5.00						
*						

* - sample at 10cm above bottom

Freshwater inflow (circle most appropriate) Pool Slow Med Fast

Top and Bottom Sample	Turbidity (NTU)	pH
Top Depth (10cm):	27	
Bottom Depth:		

Indicate bottom depth if not 10cm above the max depth